



CBSE Test Paper 05

CH-7 Triangles


1. In the adjoining figure, the rule by which $\triangle ABC \cong \triangle ADC$



- a. SAS
 b. SSS
 c. AAS
 d. RHS
2. In the adjoining figure, $BC = AC$. If $\angle ACD = 115^\circ$, the $\angle A$ is




- a. 50°
 b. 65°
 c. 57.5°
 d. 70°
3. In fig, in $\triangle ABC$, $AB = AC$, then the value of x is:




- a. 120°


- b. 100°
c. 130°
d. 80°
4. In $\triangle ABC$, if $\angle B = 30^\circ$ and $\angle C = 70^\circ$, then which of the following is the longest side?
a. AC
b. BC
c. AB
d. AB or AC
5. If triangle PQR is right angled at Q, then
a. $PR > PQ$
b. $PR < QR$
c. $PR = PQ$
d. $PR < PQ$
6. Fill in the blanks:
The perimeter of a triangle is _____ than the sum of its three medians.
7. Fill in the blanks:
If the bisector of the vertical angle of a triangle bisects the base, then the triangle is an _____ angle.
8. Of the three angles of a triangle, one is twice the smallest and another is three times the smallest. Find the angles.
9. If each angle of a triangle is less than the sum of the other two, show that the triangle is acute-angled.
10. In Fig., $AC > AB$ and D is the point on AC such that $AB = AD$. Prove that $BC > CD$.



11. $\triangle ABC$, AD is perpendicular bisector of BC. Show that $\triangle ABC$ is an isosceles triangle in which $AB = AC$.




12. If $AD = AE$, $AB = AC$ and $\angle BAC = \angle EAD$ show that $BD = CE$.




13. Prove that the sum of any two sides of a triangle is greater than twice the median with respect to the third side.

14. AD is an altitude of an isosceles triangle ABC in which $AB = AC$. Show that:

- i. AD bisects BC.
- ii. AD bisects $\angle A$



15. AB is a line segment. P and Q are points on opposite sides of AB such that each of them is equidistant from the points A and B (See Figure). Show that the line PQ is the perpendicular bisector of AB.



CBSE Test Paper 05
CH-7 Triangles

Solution

1. (b) SSS

Explanation: In $\triangle ABC$ and $\triangle ADC$, we have,

$$AB = AD \text{ (4cm)}$$

$$BC = DC \text{ (2.7 cm)}$$

$$AC = AC \text{ (common in both)}$$

Hence, $\triangle ABC \cong \triangle ADC$, by SSS criterion.

2. (a) 50°

(c) 57.5°

Explanation:

As $BC = AC$, therefore triangle ABC is an isosceles triangle.

Given $\angle ACD = 115^\circ$, $\angle ACB = 180 - 115 = 65^\circ$ (Linear Pair)

As $AC = BC$, therefore $\angle A = \angle B$

As sum of all the three angles of a triangle is 180°

Therefore, $\angle A + \angle B + \angle ACB = 180^\circ$

$$\angle A = \angle B = 57.5$$

3. (c) 130°

Explanation: Triangle ABC is an isosceles triangle and hence in the triangle other two angles are 50 and 50

Therefore,

$$X = 180 - 50 = 130$$

4. (b) BC

Explanation:

Since the sum of all sides of a triangle is 180° .

So, angle $C=70^\circ$, angle $B=30^\circ$, angle $A=80^\circ$.

We have a theorem which states that the side opposite to the greatest angle is the longest.

So, the side opposite to angle A is the longest.

5. (a) $PR > PQ$

Explanation: then the hypotenuse should be always greater than the remaining two sides.

6. greater

7. isosceles

8. Let the smallest angle of the given triangle be of x° . Then, the other two angles are $2x^\circ$ and $3x^\circ$.

$$\text{So, } x + 2x + 3x = 180$$

$$\Rightarrow 6x = 180 \Rightarrow x = \frac{180}{6} = 30$$

Hence, the angles are 30° , 60° and 90° .

9. $\therefore \angle A < (\angle B + \angle C)$

$$\Rightarrow \angle A + \angle A < \angle A + \angle B + \angle C$$


$$\Rightarrow 2\angle A < 180^\circ \quad (\because \text{sum of all angles of a triangle is equal to } 180^\circ)$$

$$\Rightarrow \angle A < 90^\circ$$

Similarly, $\angle B < 90^\circ$ and $\angle C < 90^\circ$.

Hence, the triangle is acute-angled.

10.



Given: In Fig., $AC > AB$ and D is the point on AC such that $AB = AD$.

To Prove: $BC > CD$.

Proof: In $\triangle ABD$, we have

$$AB = AD \dots(i)$$

In $\triangle ABC$, we have

$$AB + BC > AC$$

$$\Rightarrow AB + BC > AD + CD$$

$$\Rightarrow AB + BC > AB + CD \quad [\because AD = AB \text{ \{from (i)\}}]$$

$$\Rightarrow BC > CD$$

Hence Proved.

11. Given : $AD \perp BC$.

To prove : $\triangle ABC$ is an isosceles triangle in which $AB = AC$.

Proof : In $\triangle ADB$ and $\triangle ADC$,

$$DB = DC \dots [\text{As } AD \perp \text{ bisector of } BC]$$

$$\angle ADB = \angle ADC \dots [\text{Each } 90^\circ]$$

$$AD = AD \dots [\text{Common}]$$

$$\therefore \triangle ADB \cong \triangle ADC \dots [\text{By SAS property}]$$

$$\therefore AB = AC \dots [\text{c.p.c.t}]$$

$$\therefore \triangle ABC \text{ is an isosceles triangle in which } AB = AC.$$

12. $\angle BAC = \angle EAD$ $\angle BAC = \angle EAD$ [given] ... (1)

$$\therefore \angle BAC + \angle CAD = \angle EAD + \angle CAD \quad [\text{Adding angle CAD both side}]$$

$$\Rightarrow \angle BAD = \angle EAC \dots (2)$$

Now in,


$$\triangle ABD \text{ \& \ } \triangle EAC$$


$$AB = AC \quad [\text{given}]$$

$$AD = AE \quad [\text{given}]$$

$$\angle BAD = \angle EAC \dots [\text{from equation (2)}]$$

$$\Rightarrow BD = CE \Rightarrow BD = CE \quad [\text{CPCT}]$$





Given: AD is a median in $\triangle ABC$.

To prove: $AB + AC > 2AD$

Construction: Produce AD to E such that $AD = DE$. Join EC

Proof: In triangles ADB and EDC, we have

$AD = DE$(1) (By construction)

$BD = DC$ (\because AD is the median) and, $\angle ADB = \angle EDC$ (Vertically opposite angles)

$\therefore \triangle ADB \cong \triangle EDC$ (SAS congruency criterion)

$\Rightarrow AB = EC$ (CPCT) (2)

As sum of two sides in a triangle is greater than the third side. Hence, in $\triangle AEC$, we have

$AC + EC > AE$.

$\Rightarrow AC + AB > AE$ [from (2)]..... (3)


Also, $AE = 2AD$ [from (1)]..... (4)

Now, from (3) and (4),

$AC + AB > 2AD$.Hence, proved.

14. In $\triangle ABD$ and $\triangle ACD$, $AB = AC$ [Given]

$\angle ADB = \angle ADC = 90^\circ$ [$AD \perp BC$]



$AD = AD$ [Common]

$\therefore \triangle ABD \cong \triangle ACD$ [RHS rule of congruency]

$\Rightarrow BD = DC$ [By C.P.C.T.]

$\Rightarrow AD$ bisects BC

Also $\angle BAD = \angle CAD$ [By C.P.C.T.]
 $\Rightarrow AD$ bisects $\angle A$

15. In $\triangle PAQ$ and $\triangle PBQ$,

$AP = BP$ (Given)

$AQ = BQ$ (Given)

$PQ = PQ$ (Common)

So, $\triangle PAQ \cong \triangle PBQ$ (SSS rule)

Therefore, $\angle APQ = \angle BPQ$ (CPCT).

Now let us consider $\triangle PAC$ and $\triangle PBC$.

You have: $AP = BP$ (Given)

$\angle APQ = \angle BPQ$ (proved above)

$PC = PC$ (Common)

So, $\triangle PAC \cong \triangle PBC$ (SAS rule)

Therefore, $AC = BC$ (CPCT)(i)

$\angle ACP = \angle BCP$ (CPCT)

and $\angle ACP + \angle BCP = 180^\circ$ (Linear pair)

So, $2\angle ACP = 180^\circ$

Or, $\angle ACP = 90^\circ$ (ii)

From (i) and (ii), we can easily conclude that PQ is the perpendicular bisector of AB .